

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

1-37. (Canceled)

38. (New) A compound chosen from 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-{{1-(N-methylcarbamoylmethyl) piperidin-4-yl]-oxy}quinazoline and its pharmaceutically acceptable salts.

39. (New) The compound according to claim 38, wherein said compound is 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-{{1-(N-methylcarbamoylmethyl) piperidin-4-yl]-oxy}quinazoline.

40. (New) The compound according to claim 38, wherein said compound is a pharmaceutically acceptable salt of 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-{{1-(N-methylcarbamoylmethyl)piperidin-4-yl]-oxy}quinazoline.

41. (New) A pharmaceutical composition comprising at least one compound chosen from 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-{{1-(N-methylcarbamoylmethyl)piperidin-4-yl]-oxy}quinazoline and its pharmaceutically acceptable salts in association with a pharmaceutically-acceptable diluent or carrier.

42. (New) The pharmaceutical composition according to claim 41, wherein said composition comprises 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-[[1-(N-methylcarbamoylmethyl) piperidin-4-yl]-oxy}quinazoline in association with a pharmaceutically-acceptable diluent or carrier.
43. (New) The pharmaceutical composition according to claim 41, wherein said composition comprises a pharmaceutically acceptable salt of 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-[[1-(N-methylcarbamoylmethyl)piperidin-4-yl]-oxy}quinazoline in association with a pharmaceutically-acceptable diluent or carrier.
44. (New) A method for treating a cancer in a warm-blooded animal in need of such treatment which comprises administering to said animal at least one compound chosen from 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-[[1-(N-methylcarbamoylmethyl)piperidin-4-yl]-oxy}quinazoline and its pharmaceutically acceptable salts.
45. (New) The method according to claim 44, wherein said treatment comprises administering to said animal 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-[[1-(N-methylcarbamoylmethyl) piperidin-4-yl]-oxy}quinazoline.
46. (New) The method according to claim 44, wherein said treatment comprises administering to said animal a pharmaceutically acceptable salt of 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-[[1-(N-methylcarbamoylmethyl) piperidin-4-yl]-oxy}quinazoline.

47. (New) The method according to claim 44, wherein said cancer is selected from breast cancer, lung cancer, colorectal cancer, gastric cancer, ovarian cancer, and head and neck cancer.
48. (New) The method according to claim 47, wherein said cancer is breast cancer.
49. (New) The method according to claim 45, wherein said cancer is breast cancer.
50. (New) The method according to claim 46, wherein said cancer is breast cancer.
51. (New) The method according to claim 47, wherein said cancer is lung cancer.
52. (New) The method according to claim 45, wherein said cancer is lung cancer.
53. (New) The method according to claim 46, wherein said cancer is lung cancer.
54. (New) The method according to claim 47, wherein said cancer is colorectal cancer.
55. (New) The method according to claim 45, wherein said cancer is colorectal cancer.

- 56. (New) The method according to claim 46, wherein said cancer is colorectal cancer.
- 57. (New) The method according to claim 47, wherein said cancer is gastric cancer.
- 58. (New) The method according to claim 45, wherein said cancer is gastric cancer.
- 59. (New) The method according to claim 46, wherein said cancer is gastric cancer.
- 60. (New) The method according to claim 47, wherein said cancer is ovarian cancer.
- 61. (New) The method according to claim 45, wherein said cancer is ovarian cancer.
- 62. (New) The method according to claim 46, wherein said cancer is ovarian cancer.
- 63. (New) The method according to claim 47, wherein said cancer is head and neck cancer.
- 64. (New) The method according to claim 45, wherein said cancer is head and neck cancer.

65. (New) The method according to claim 46, wherein said cancer is head and neck cancer.
66. (New) A method for treating a tumor in a warm-blooded animal in need of such treatment which comprises administering to said animal at least one compound chosen from 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-[[1-(N-methylcarbamoylmethyl) piperidin-4-yl]-oxy}quinazoline and its pharmaceutically acceptable salts.
67. (New) The method according to claim 66, wherein said treatment comprises administering to said animal 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-[[1-(N-methylcarbamoylmethyl) piperidin-4-yl]-oxy}quinazoline.
68. (New) The method according to claim 66, wherein said treatment comprises administering to said animal a pharmaceutically acceptable salt of 4-(3-chloro-2-fluoroanilino)-7-methoxy-6-[[1-(N-methylcarbamoylmethyl) piperidin-4-yl]-oxy}quinazoline.
69. (New) The method according to claim 66, wherein said tumor is a solid tumor.
70. (New) The method according to claim 67, wherein said tumor is a solid tumor.
71. (New) The method according to claim 68, wherein said tumor is a solid tumor.